

LISTING OF CLAIMS**Claim 1—(Currently Amended)**

A Pointe shoe for a dancer's foot to provide support and freedom of movement on the dance floor comprising:

a rigid mid-foot element having support surfaces for; the plantar of the heel bone, for the top of the mid foot bones, and for the top of the metatarsal bones, said mid-foot segment including means [to secure] for securing it to the foot;

a rigid toe loop having one end mounted to the mid-foot element for transferring the downward force on the mid-foot segment to the dance floor and having a second end in contact with the dance floor in a Pointe position; and

a transverse joint mounting the rigid mid-foot segment to the rigid toe loop [in] on both sides of the foot forming a single structural unit said [joining] joint being located at the base of the toes to permit flexing thereof and wherein said structural [unite] unit transfers the weight of the dancer to the front end of the shoe, and then to the floor with the foot in Pointe position.

Claim 2—(Currently Amended)

A Pointe shoe comprising:

a rigid conical form with a large opening at one end near the back of the arch, and a smaller opening at the other end just behind the ball of the foot for putting on and taking off said shoe, said conical form supporting the weight of the dancer with the foot in Pointe position;

a toe [box] cup mounted to the conical form for supporting the downward force applied to said conical form with the foot in Pointe position; and

a transverse rotational mounting means for joining the conical form to the toe [box] cup located near the ball of the foot and permitting the toe bones to flex relative to the metatarsal

bones, said mounting means including means to maintain a [ventricle] vertical position with the foot in Pointe position, wherein the Pointe shoe supports the weight of the dancer on the mid-foot bones, the metatarsal, and heel bone, and said downward weight force is transferred to the dance floor.

Claim 3—(Currently Amended)

A Pointe shoe comprising:

a mid-foot element comprising a semi-rigid [short shank] arch plate from behind the front end of the metatarsal to a plantar surface at the front of the heel bone, said [shank] plate being thin from inner to outer surface and having a shape of approximating arch of the foot, said [shank] plate further including a support surface for the plantar of the heel bone and the plantar muscle; and a large rigid tongue with a support surface for the top of the mid-foot bones and the top of the metatarsal, said tongue being mounted to the [shank] arch plate; and wherein

said mid-foot element includes a back end and a front end said back end having a larger opening at the back end than at the front end for ingress and egress of the foot into and out of the shoe;

means for securing the mid-foot element transversely with respect to the mid-foot bones and the front of the metatarsal bones, and,

a rigid fore foot element rotationally mounted to the mid-foot element to transmit forces from the mid-foot element to the floor.

Claim 4—(Original)

A Pointe shoe in accordance with Claim 2 wherein:

the toe [box] cup comprises a rigid structure having a flat front surface to facilitate balancing on Pointe and having sides extending therefrom.

Claim 5—(Original)

A Pointe shoe in accordance with Claim 2 wherein:

the toe [box] cup includes a U-shaped toe loop extending along opposite sides thereof, an impact absorbing front surface and an inner liner extending along the sides.

Claim 6—(Currently Amended)

A Pointe shoe in accordance with Claim 2 wherein:

the toe [box] cup includes a [sloe or] toe loop and straps to secure the box to the toes.

Claim 7—(Currently Amended)

A Pointe shoe in accordance with Claim 1 wherein:

the mid-foot element comprises [a short shank] an arch plate truncated conical element extending from behind the ball of the [food] foot to the beginning of the heel bone and from one side of the foot to the other, said element being shaped to support the weight of the dancer.

Claim 8—(Original)

A Pointe shoe in accordance with Claim 7 further including:

a semi-rigid plate having a support surface on the arch for the plantar and mid-foot bones.

Claim 9—(Currently Amended)

A Pointe shoe in accordance with Claim 7 wherein:

the mid-foot element comprises rigid side portions joined by a right top tongue, said element extending from the ball of the foot to the back of the mid-foot bones on both sides and a rigid plate connected thereto forming a support surface for the [of the] top mid-foot bones and metatarsal bones and further including straps and a buckle to secure the shoe to the foot.

Claim 10—(Currently Amended)

A Pointe shoe in accordance with Claim 9 further including:

a transverse rotational joint that attaches the mid-foot elements to the front foot elements, said joint being self-locking and releasing by applying [force and releasing by applying force] and removing force to the front of the toe [box] cup.

Claim 11—(Currently Amended)

A Pointe shoe in accordance with Claim 1 further including:

a self locking and releasing [and] pin located on a plate mounting the mid-foot element to the toe [loop] cup.

Claim 12—(Currently Amended)

A Pointe shoe in accordance with Claim 1 wherein:

the joint permits fully flexing of the toes down (tendu) to toes up (demi-point), said joint being lockable in the [ventricle] vertical position to transfer the weight of the dancer through the mid-foot element to the toe [box] cup and then the dance floor.

Claim 13—(Original)

A Pointe shoe in accordance with Claim 1 wherein:

the transverse joint provides rotation of the fore front element with regard to the mid-foot element said joint further including a control plate mounting said elements together, a spring mounted to the control plate at one end and a guide and pin located thereon with the spring extending about the guide and pin to control rotation of said elements.

Claim 14—(Original)

A Pointe shoe in accordance with Claim 1 further including:

a plurality of liners comprising a sense shaping material, cushioning material, an inner liner for ease of ingress and egress and an inner non-slip liner for stabilizing the shoe position when secured to the foot.

Claim 15—(Original)

A Pointe shoe in accordance with Claim 1 further including:

securing means for joining the mid-foot and toe [box] cup elements.

Claim 16—(Currently Amended)

A Pointe shoe in accordance with Claim 15 wherein:

the securing means comprises at least one buckle having a first end and a second end one end being mounted to the mid foot [element] dorsal plate end and the other element being mounted to the [toe box] arch plate.

Claim 17—(Original)

A Pointe shoe in accordance with Claim 15 further including:

a plurality of straps for securing the shoe to the foot.